BRAIN RESEARCH

VOL. 781 NO. 1,2 **CONTENTS** **19 JANUARY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Binding capacity of FK506 binding protein after 2-hour hemispheric ischemia in gerbil brain
H. Nozaki, K. Tanaka, T. Shirai, E. Nagata, T. Kondo, S. Koyama, T. Dembo and Y. Fukuuchi (Japan) 1

Methyl palmoxirate increases eating behavior and brain Fos-like immunoreactivity in rats
C.C. Horn and M.I. Friedman (USA) 8

Androgen receptor and mating-induced Fos immunoreactivity are co-localized in limbic and midbrain neurons that project to the male rat medial preoptic area
B. Gréco, D.A. Edwards, D. Zumpe and A.N. Clancy (USA) 15

Upper airway motor outputs during vomiting versus swallowing in the decerebrate cat
T. Umezaki, K. Shiba, Y. Zheng and A.D. Miller (USA) 25

Dissociation between mossy fiber sprouting and rapid kindling with low-frequency stimulation of the amygdala
L.L. Armitage, P. Mohapel, E.M. Jenkins, D.K. Hannesson and M.E. Corcoran (Canada) 37

Kainate-stimulated Zn^{2+} uptake labels cortical neurons with Ca^{2+}-permeable AMPA/kainate channels
H.Z. Yin, D.H. Ha, S.G. Carriedo and J.H. Weiss (USA) 45

Stress increases oxytocin release within the hypothalamic paraventricular nucleus
T. Nishioka, J.A. Anselmo-Franci, P. Li, M.F. Callahan and M. Morris (USA, Brazil) 57

Time course of changes in cholinergic and neurotrophin-related markers after infusion of colchicine into the basal forebrain
L.W. Shaughnessy, W.R. Mundy, H.A. Tilson and S. Barone Jr. (USA) 62

Central terminals of orofacial primary afferents and NADPH-diaphorase activity in the trigemino–solitary complex of rats
M. Takemura, A. Tsujio, K. Iwase, T. Shimada and Y. Shigenaga (Japan) 78

Melatonin and serotonin *N*-acetyltransferase activity in developing eggs of the cricket *Gryllus bimaculatus*
M.T. Itoh and Y. Sumi (Japan) 91

Increased corticotropin-releasing factor immunoreactivity in select brain sites following kainate-elicited seizures
D.T. Piekut and B. Phipps (USA) 100

The relationship of galanin immunoreactive nerve fibers to glandular cells in the anterior pituitary in the monkey
S. Liu and J. Gao (China) 114

$5HT_{1A}$ receptor antagonists enhance the functional activity of fluoxetine in a mouse model of feeding
D.L. Li, R.M.A. Simmons and S. Iyengar (USA) 121

Contribution of T-type calcium channels to afterdischarge generation in rat hippocampal slices
M. Higashima, H. Kinoshita and Y. Koshino (Japan) 129

Quantitative analyses of thalamic and cortical origins of neurons projecting to the rostral and caudal forelimb motor areas in the cerebral cortex of rats
Y. Wang and K. Kurata (Japan) 137

Developing rat brainstem motoneurones in organotypic culture express calcium permeable AMPA-gated receptors
T. Launey, A. Ivanov, N. Ferrand and J.P. Gueritaud (France) 148

Transmural compression-induced proliferation and DNA synthesis through activation of a tyrosine kinase pathway in rat astrocytoma RCR-1 cells
Y. Oishi, Y. Uezono, N. Yanagihara, F. Izumi, T. Nakamura and K. Suzuki (Japan) 159

Serotonin modulates induced synaptic activity in the optic tectum of the frog
A.A. Malayev and E.A. Debski (USA) 167

Weak combined magnetic field affects basic and morphine-induced rat's EEG
V.V. Vorobyov, E.A. Sosunov, N.I. Kukushkin and V.V. Lednev (Russian Federation) 182

Independent roles of dopamine D_1 and $D_{2/3}$ receptors in rat thermoregulation
P. Salmi (Sweden) 188

Effects of NMDA and non-NMDA receptor antagonists on the medullary inspiratory neuronal activity during spontaneous augmented breaths in anesthetized rats
M. Takeda and S. Matsumoto (Japan) 194

Clonidine potentiates the neuropathic pain-relieving action of MK-801 while preventing its neurotoxic and hyperactivity side effects
V. Jevtovic-Todorovic, D.F. Wozniak, S. Powell, A. Nardi and J.W. Olney (USA) 202

Effect of nicardipine, a Ca^{2+} channel blocker, on pyruvate dehydrogenase activity and energy metabolites during cerebral ischemia and reperfusion in gerbil brain
Y. Katayama, T. Fukuchi, A. McKee and A. Terashi (Japan) 212

(contents continued on p. 360)

0006-8993(19980119)781:1/2;1-C

BRAIN RESEARCH

VOL. 781 NO. 1,2 **CONTENTS** **19 JANUARY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Binding capacity of FK506 binding protein after 2-hour hemispheric ischemia in gerbil brain
H. Nozaki, K. Tanaka, T. Shirai, E. Nagata, T. Kondo, S. Koyama, T. Dembo and Y. Fukuuchi (Japan) 1

Methyl palmoxirate increases eating behavior and brain Fos-like immunoreactivity in rats
C.C. Horn and M.I. Friedman (USA) 8

Androgen receptor and mating-induced Fos immunoreactivity are co-localized in limbic and midbrain neurons that project to the male rat medial preoptic area
B. Gréco, D.A. Edwards, D. Zumpe and A.N. Clancy (USA) 15

Upper airway motor outputs during vomiting versus swallowing in the decerebrate cat
T. Umezaki, K. Shiba, Y. Zheng and A.D. Miller (USA) 25

Dissociation between mossy fiber sprouting and rapid kindling with low-frequency stimulation of the amygdala
L.L. Armitage, P. Mohapel, E.M. Jenkins, D.K. Hannesson and M.E. Corcoran (Canada) 37

Kainate-stimulated Zn^{2+} uptake labels cortical neurons with Ca^{2+}-permeable AMPA/kainate channels
H.Z. Yin, D.H. Ha, S.G. Carriedo and J.H. Weiss (USA) 45

Stress increases oxytocin release within the hypothalamic paraventricular nucleus
T. Nishioka, J.A. Anselmo-Franci, P. Li, M.F. Callahan and M. Morris (USA, Brazil) 57

Time course of changes in cholinergic and neurotrophin-related markers after infusion of colchicine into the basal forebrain
L.W. Shaughnessy, W.R. Mundy, H.A. Tilson and S. Barone Jr. (USA) 62

Central terminals of orofacial primary afferents and NADPH-diaphorase activity in the trigemino–solitary complex of rats
M. Takemura, A. Tsujio, K. Iwase, T. Shimada and Y. Shigenaga (Japan) 78

Melatonin and serotonin *N*-acetyltransferase activity in developing eggs of the cricket *Gryllus bimaculatus*
M.T. Itoh and Y. Sumi (Japan) 91

Increased corticotropin-releasing factor immunoreactivity in select brain sites following kainate-elicited seizures
D.T. Piekut and B. Phipps (USA) 100

The relationship of galanin immunoreactive nerve fibers to glandular cells in the anterior pituitary in the monkey
S. Liu and J. Gao (China) 114

$5HT_{1A}$ receptor antagonists enhance the functional activity of fluoxetine in a mouse model of feeding
D.L. Li, R.M.A. Simmons and S. Iyengar (USA) 121

Contribution of T-type calcium channels to afterdischarge generation in rat hippocampal slices
M. Higashima, H. Kinoshita and Y. Koshino (Japan) 129

Quantitative analyses of thalamic and cortical origins of neurons projecting to the rostral and caudal forelimb motor areas in the cerebral cortex of rats
Y. Wang and K. Kurata (Japan) 137

Developing rat brainstem motoneurones in organotypic culture express calcium permeable AMPA-gated receptors
T. Launey, A. Ivanov, N. Ferrand and J.P. Gueritaud (France) 148

Transmural compression-induced proliferation and DNA synthesis through activation of a tyrosine kinase pathway in rat astrocytoma RCR-1 cells
Y. Oishi, Y. Uezono, N. Yanagihara, F. Izumi, T. Nakamura and K. Suzuki (Japan) 159

Serotonin modulates induced synaptic activity in the optic tectum of the frog
A.A. Malayev and E.A. Debski (USA) 167

Weak combined magnetic field affects basic and morphine-induced rat's EEG
V.V. Vorobyov, E.A. Sosunov, N.I. Kukushkin and V.V. Lednev (Russian Federation) 182

Independent roles of dopamine D_1 and $D_{2/3}$ receptors in rat thermoregulation
P. Salmi (Sweden) 188

Effects of NMDA and non-NMDA receptor antagonists on the medullary inspiratory neuronal activity during spontaneous augmented breaths in anesthetized rats
M. Takeda and S. Matsumoto (Japan) 194

Clonidine potentiates the neuropathic pain-relieving action of MK-801 while preventing its neurotoxic and hyperactivity side effects
V. Jevtovic-Todorovic, D.F. Wozniak, S. Powell, A. Nardi and J.W. Olney (USA) 202

Effect of nicardipine, a Ca^{2+} channel blocker, on pyruvate dehydrogenase activity and energy metabolites during cerebral ischemia and reperfusion in gerbil brain
Y. Katayama, T. Fukuchi, A. McKee and A. Terashi (Japan) 212

(contents continued on p. 360)

0006-8993(19980119)781:1/2;1-C

(contents continued)

Differences in the intrinsic membrane characteristics of parabrachial nucleus neurons processing gustatory and visceral information
M. Kobashi and R.M. Bradley (USA) 218
Differential effects of the strychnine-insensitive glycine site antagonist (+)-HA-966 on the hyperactivity and the disruption of prepulse inhibition induced by phencyclidine in rats
Y. Furuya, T. Kagaya, Y. Nishizawa and H. Ogura (Japan) 227
Neurocalcin-immunopositive neurons in the rat sensory ganglia
S. Iino, M. Kato, H. Hidaka and S. Kobayashi (Japan) 236
Intracerebral HIV glycoprotein (gp120) enhances tumor metastasis via centrally released interleukin-1
D.M. Hodgson, R. Yirmiya, F. Chiappelli and A.N. Taylor (USA, Israel) 244
The influence of a heavy thermal load on REM sleep in the rat
R. Amici, G. Zamboni, E. Perez, C.A. Jones and P.L. Parmeggiani (Italy) 252
Sensorimotor integration in human primary and secondary somatosensory cortices
N. Forss and V. Jousmäki (Finland) 259
Dystonic posturing and circling behaviors induced by dopaminergic agents in rats with unilateral globus pallidus lesions
H. Miwa, K. Nishi, T. Fuwa and Y. Mizuno (Japan) 268
Effects of protein kinase and phosphatase inhibitors on slow shortening of guinea pig cochlear outer hair cells
M. Minamino, M. Hara, S. Ohnishi, T. Irie, T. Yamashita, A. Minato and C. Inagaki (Japan) 275
Phasic increase of monoamine-related electrochemical signal in the rat caudate nucleus following conditioned auditory stimulation during the reaction-time task
T. Shinba, Y. Andow, T. Shinozaki, N. Ozawa and K.-i. Yamamoto (Japan) 284
Serotonin 5-HT_{2C} agonists selectively inhibit morphine-induced dopamine efflux in the nucleus accumbens
D.L. Willins and H.Y. Meltzer (USA) 291
Effects of intrahippocampal AP5 treatment on radial-arm maze performance in rats
K. Kawabe, Y. Ichitani and T. Iwasaki (Japan) 300
Macroscopic and single-channel chloride currents in neuropile glial cells of the leech central nervous system
M. Müller and W.-R. Schlue (Germany) 307
Regulation of in vitro phosphorylation of the casein kinase II sites in B-50 (GAP-43)
L.A. Dokas, S.-m. Ting, M.A.N. Edgar, A.B. Oestreicher, W.H. Gispen and P.N.E. DeGraan (USA, Netherlands) 320

Short communications

Evidence of disynaptic projections from the rostral ventrolateral medulla to the thoracic spinal cord
A.R. Granata and D.A. Ruggiero (USA) 329
Synaptic connections between substance P-containing axons and estrogen receptor-synthesizing neurons in the medial preoptic area of the rat brain
I. Kalló, C. Fekete, C.W. Coen and Z. Liposits (Hungary, UK) 335
Cortical spreading depression induces an LTP-like effect in rat neocortex in vitro
D.R. Footitt and N.R. Newberry (UK) 339
Differential expression of protein kinase C-α and -β II in rat septum and changes following fimbria–fornix lesion
S. Shimohama and T. Saitoh (Japan, USA) 343
Neuropeptide Y antibody attenuates 2-deoxy-D-glucose induced feeding in rats
B. He, B.D. White, G.L. Edwards and R.J. Martin (USA) 348
Extracellular levels of neuropeptide Y are markedly increased in the dorsal hippocampus of freely moving rats during kainic acid-induced seizures
H. Husum, J.D. Mikkelsen and A. Mørk (Denmark) 351
Calpain-mediated proteolysis of GluR1 subunits in organotypic hippocampal cultures following kainic acid treatment
X. Bi, J. Chen and M. Baudry (USA) 355

Author Index 358